



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/734,868	12/12/2003	Petra Reed	RD 001-1	1518

7590 02/24/2006

T.H.P. Richardson
1055 Trinity Drive
Menlo Park, CA 94025

EXAMINER

MARSH, STEVEN M

ART UNIT	PAPER NUMBER
----------	--------------

3632

DATE MAILED: 02/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/734,868

Applicant(s)

REED ET AL.

Examiner

Steven M. Marsh

Art Unit

3632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 December 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 7 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 7 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 2-6 and 8-20 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 12122003.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

This is the second office action for U.S. Application 10/734,868 for Pedestals filed by Reed et al. on December 12, 2003. Claims 1-20 are pending and claims 1, 7, and 10 have been elected.

Election/Restrictions

Claims 2-6 and 8-20 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected species, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on December 5, 2005.

Applicant's election with traverse of the invention of figures 44-46 in the reply filed on December 5, 2005 is acknowledged. The traversal is on the ground(s) that figures 50-52 is not patentably distinct from figures 44-46. This is not found persuasive because the invention of figures 50-52 has a notch at the top of one of the walls as seen in figure 51 to interlock with notches at the top of the other four walls as seen in figure 52. There is no such arrangement in the invention of figures 44-46 and Applicant identifies them as separate embodiments in the specification.

The requirement is still deemed proper and is therefore made FINAL.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Art Unit: 3632

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent 3,858,495 to Gotwalt. Gotwalt discloses a pedestal that has a pedestal base (10) with an upper surface that defines at least two pairs of open channels (34). Each pair of open channels is sized and spaced so that a straight support member (36) of constant cross section can be slidably fitted into the pair of channels with a midsection of the support member lying between the open channels and having an open space underneath it. The pairs of channels are placed on the upper surface so that when a straight support member is fitted into each pair of channels, the support members are parallel to each other. The pedestal base has two spaced-apart wall members (12 and 16) with each wall member having one of the open channels of each pair of channels.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven Marsh whose telephone number is (571) 272-6819. The examiner can normally be reached on Monday-Friday from 8:00AM to 4:30 PM. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone

Application/Control Number: 10/734,868

Page 4


Art Unit: 3632

number is (571) 272-3600. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.



Steven M. Marsh

February 18, 2006



RAMON O. RAMIREZ
PRIMARY EXAMINER